

Meridian IVR

System Administration Guide

Publication number: 555-9001-300
Product release: Meridian IVR 2.0/I
Document release: Standard 1.0
Date: February 1996

© 1996 Northern Telecom
All rights reserved

Printed in the United States of America

Information is subject to change without notice. Northern Telecom reserves the right to make changes in design or components as progress in engineering and manufacturing may warrant.

Touch-tone is a registered trademark of Bell Canada. X and X Window System are registered trademarks of the Massachusetts Institute of Technology. ACCESS, Meridian IVR, Meridian Mail are registered trademarks of Northern Telecom. UNIX is a registered trademark of Santa Cruz Operations Inc.

Publication history

February 1996

This document is the first standard issue for Meridian IVR release 2.0/I.

Contents

About this guide	xv
Who should use this guide.	xv
How to use this guide.	xv
Additional Meridian IVR guides	xvii
Other documentation	xvii
Conventions used in this guide	xviii

Chapter 1: System configuration	1-1
Accessing the System Configuration window	1-2
Determining system resource requirements	1-6
Mailboxes.	1-6
Meridian IVR voice files	1-6
Allocating prompt and message numbers	1-7
Meridian Mail disk space	1-8
Identifying voice processing nodes and prompts	1-8
Node characteristics	1-11
Configuring channels	1-13
Channel configuration values.	1-14
Exiting System Configuration.	1-17
Establishing new configurations.	1-18
Testing the ACCESS link	1-20
The System Monitor.	1-22
Channel activity	1-23
Parts of the node window	1-25
Port Status Values	1-27
Exiting the System Monitor	1-28

Chapter 2: File backup and restore	2-1
Backup Tool	2-2

Backup function	2-3
General scheduling information for backups	2-12
Restore function	2-12
GUI-based Backup Tool error reporting	2-15
Immediate backup errors	2-15
Schedule/unschedule backup errors	2-15
Restore/view errors	2-16
Restore/restore errors	2-17

Chapter 3: Managing prompts 3-1

Meridian IVR prompts	3-2
Voice Prompt Transfer tool	3-2
Editing prompts with the Voice Prompt Editor	3-2
Voice segment file structure	3-4
Locating Meridian IVR segment IDs	3-6
Creating and modifying segment files	3-6
General principles	3-6
Common functions	3-8
Creating a new voice segment file	3-9
Managing voice segment files	3-10
Modifying a voice segment	3-14
Modifying the textual components of a voice segment	3-21
Developing applications that use voice segments	3-23
Recording voice segments	3-23
Using the optional audio line interface	3-24
Transferring prompts to Meridian Mail	3-25
Maintaining the voice segment file	3-26
Creating a segment index header file	3-26
Suggested guidelines for prompts	3-28
Editing voice segments for concatenation	3-29
Normalizing a voice segment file	3-29
Grouping voice segments for concatenation	3-30
Playing and editing a group of concatenated voice segments	3-33
Voice Prompt Editor command summary description	3-35
Voice Prompt Editor troubleshooting	3-40
Logon problems	3-40
Play/record problems	3-41
Editing problems	3-41

Chapter 4: Managing applications 4-1

Developing, testing, and modifying applications on a live system	4-2
--	-----

Loading an application	4-7
Assigning channels	4-10
Starting an application	4-11
Reassigning channels	4-13
Stopping an application	4-18
Unloading an application	4-20
Using the audit tool	4-21
Scheduling an application	4-22
Examples using the sched tool	4-27
Creating, editing, and running scripts	4-28
The "reboot.sai" script	4-34
Exiting Application Management	4-35

Chapter 5: Running reports 5-1

Running the Cell Audit Report	5-2
Running the Call Detail Report	5-4
Running the Call Audit Report	5-7
Running the Subscriber Report	5-9
Running the Channel Usage Report	5-11
Running Log Reports	5-12
System Configuration Report	5-16
Saving or writing a report to a file	5-17
Printing reports	5-18
Exiting reports	5-18
Report statistics	5-18
Statistics export tool	5-19
Resizing statistics tool	5-19
Backing up your statistical information	5-20

Chapter 6: Using information databases 6-1

Understanding information databases	6-2
Planning an information database	6-4
Using an information database	6-4
Opening the Database Editor	6-7
Creating the template	6-10
Creating record locations	6-11
Adding or changing data	6-14
Formats for importing and exporting data	6-16
Changing record locations	6-18
Exiting the database	6-20
Loading an existing database	6-20

Editing the template	6-21
Deleting record locations	6-21
Deleting a database	6-23
Appendix A: Standard prompts	A-1
Appendix B: Host error messages	B-1
Appendix C: Tools	C-1
Appendix D: Error codes and severity levels	D-1
Appendix E: Connectivity diagrams for Meridian IVR and Meridian Mail	E-1
Glossary	Glossary-1
List of figures	
Figure 1-1 Meridian IVR login window	1-2
Figure 1-2 MMI desktop for vad or root accounts	1-3
Figure 1-3 Meridian IVR main menu	1-3
Figure 1-4 System Administration pull-down menu	1-4
Figure 1-5 System Configuration window	1-5
Figure 1-6 The Node Configuration window	1-9
Figure 1-7 Node Configuration window	1-12
Figure 1-8 Channel Configuration window	1-14
Figure 1-9 Save Changes pop-up window	1-18
Figure 1-10 Application Management pop-up menu	1-19
Figure 1-11 System Status window	1-21
Figure 1-12 System Monitor window	1-22
Figure 1-13 Sample node window	1-24
Figure 1-14 Port Status pop-up window	1-26
Figure 2-1 Backup Tool window	2-2
Figure 2-2 Backup device selection window	2-4
Figure 2-3 Backup file selection window	2-5
Figure 2-4 Backup time window	2-8
Figure 2-5 Backup schedule list window	2-9
Figure 2-6 Schedule daily backup window	2-10
Figure 2-7 Restore file list window	2-13
Figure 2-8 Backup failure message window	2-15

Figure 2-9	Restore failure message window	2-17
Figure 3-1	Meridian IVR Voice Prompt EditorLogging into the Voice Prompt Editor	3-3
Figure 3-2	Structure of a voice segment	3-4
Figure 3-3	Structure of a speech segment	3-5
Figure 3-4	Voice Prompt Editor “levels of access”	3-7
Figure 3-5	Voice segment file list	3-11
Figure 3-6	Voice segment list	3-14
Figure 3-7	Segment search window	3-19
Figure 3-8	Textual components of a voice segment.....	3-22
Figure 3-9	Connecting the audio line interface	3-25
Figure 3-10	Segment index header file	3-27
Figure 3-11	Voice segment file list	3-30
Figure 3-12	Voice segment list	3-31
Figure 3-13	“Play Group” form.....	3-32
Figure 3-14	Voice editing form	3-33
Figure 4-1	The Application Management menu	4-1
Figure 4-2	Application Management window.....	4-2
Figure 4-3	Load or unload an application pop-up window	4-8
Figure 4-4	Select an Application to Load pop-up window	4-9
Figure 4-5	Loaded application	4-10
Figure 4-6	Application assigned to channels	4-11
Figure 4-7	Start or Stop Application pop-up window	4-12
Figure 4-8	An application running on seven channels.....	4-13
Figure 4-9	Sample application running on three channels	4-14
Figure 4-10	“Weather” application is loaded.....	4-15
Figure 4-11	Reassigning channels to weather application	4-16
Figure 4-12	Weather application	4-17
Figure 4-13	Start or Stop Application pop-up window	4-19
Figure 4-14	A stopped application	4-20
Figure 4-15	Load/Unload Application pop-up window	4-21
Figure 4-16	A sample Select a Script to Write menu.....	4-29
Figure 4-17	The “news.sai” script	4-31
Figure 4-18	PriceSwap.sai script.....	4-33
Figure 4-19	Select a Script to run pop-up window.....	4-34
Figure 5-1	System Reports pull-down menu	5-1
Figure 5-2	Cell Audit Report	5-4
Figure 5-3	Call Detail Report pop-up window	5-6
Figure 5-4	Call Detail Report (full report).....	5-7
Figure 5-5	Call Audit Report	5-9
Figure 5-6	Subscriber Report	5-10

Figure 5-7	Channel Usage Report.....	5-12
Figure 5-8	Transaction Log Report.....	5-13
Figure 5-9	Console Log Report	5-14
Figure 5-10	Backup Tool Log Report	5-15
Figure 5-11	System Configuration Report	5-16
Figure 5-12	Write to File window	5-17
Figure 5-13	Select Printer Device window.....	5-18
Figure 5-14	Resize Statistics window	5-20
Figure 6-1	An example of a record in a database	6-2
Figure 6-2	A series of records in an information database	6-3
Figure 6-3	Sample database record	6-6
Figure 6-4	Database Editor	6-8
Figure 6-5	Template window	6-10
Figure 6-6	Example of a template for a database	6-11
Figure 6-7	Record location numbers	6-12
Figure 6-8	Create/Delete Record pop-up menu	6-13
Figure 6-9	Records with stored data	6-14
Figure 6-10	Record Location window	6-15
Figure 6-11	Import/Export pop-up menu	6-17
Figure 6-12	The Update Database pop-up menu	6-19
Figure 6-13	Select a Database pop-up window.....	6-21
Figure 6-14	Create/Delete Record pop-up menu	6-22
Figure D-1	Example severity file	D-4

List of tables

Table 1-1	System prompt information	1-7
Table 1-2	ACCESS link function keys	1-21
Table 1-3	Parts of the System Monitor window	1-23
Table 1-4	Parts of the node window	1-25
Table 3-1	Locating Meridian IVR segment IDs.....	3-6
Table 3-2	Access levels	3-6
Table 3-3	Common function keys.....	3-8
Table 3-4	Text input field keys	3-9
Table 3-5	Commands for an empty mailbox	3-9
Table 3-6	Voice segment file information	3-10
Table 3-7	Commands for a mailbox with file(s)	3-11
Table 3-8	Voice segment information.....	3-14
Table 3-9	Commands for the list of voice segments	3-15
Table 3-10	Commands for voice segment playback	3-15
Table 3-11	Voice editing commands	3-16
Table 3-12	Commands available with Exit command	3-20

Table 3-13	Voice segment information.....	3-21
Table 3-14	Voice segment textual components commands.....	3-22
Table 3-15	Commands available with the editVce command ..	3-34
Table 4-1	Parameters for the audit command.....	4-22
Table 4-2	Required switches: scheduling applications.....	4-24
Table 4-3	Optional switches: scheduling applications.....	4-25
Table 4-4	Required switches: unscheduling events	4-25
Table 4-5	Optional switches: unscheduling events	4-26
Table 4-6	Required switches: previously scheduled events..	4-26
Table 4-7	Optional switches: previously scheduled events...	4-27
Table 6-1	Function of keys in Database Editor windows.....	6-8
Table A-1	Standard English prompts.....	A-1
Table A-2	Standard French prompts	A-16
Table C-1	Command line switches	C-1

List of procedures

Procedure 1-1	Accessing the System Configuration window ...	1-2
Procedure 1-2	Setting the number of prompts	1-9
Procedure 1-3	Defining node characteristics.....	1-11
Procedure 1-4	Choosing channels for configuration	1-13
Procedure 1-5	Configuring individual channels.....	1-16
Procedure 1-6	Saving and exiting the System Configuration ..	1-17
Procedure 1-7	Restarting Meridian IVR.....	1-19
Procedure 1-8	Testing the ACCESS link.....	1-20
Procedure 1-9	Monitoring channel status.....	1-22
Procedure 1-10	Displaying channel activity.....	1-23
Procedure 1-11	Monitoring a specific voice channel.....	1-26
Procedure 1-12	Exiting the System Monitor.....	1-27
Procedure 2-1	Accessing the Backup Tool	2-2
Procedure 2-2	Changing the backup device	2-2
Procedure 2-3	Specifying a backup list file.....	2-3
Procedure 2-4	Modifying the Selected Backup List file	2-4
Procedure 2-5	Adding a file to the backup list	2-6
Procedure 2-6	Removing a file from the backup list.....	2-7
Procedure 2-7	Selecting a backup time.....	2-7
Procedure 2-8	Viewing the list of scheduled backups	2-9
Procedure 2-9	Performing an immediate backup	2-9
Procedure 2-10	Scheduling backups.....	2-10
Procedure 2-11	Unscheduler backups.....	2-11
Procedure 2-12	Checking the list of scheduled backup times..	2-11
Procedure 2-13	Viewing the contents of previous backups.....	2-13

Procedure 2-14	Restoring all files	2-14
Procedure 2-15	Restoring selected files.....	2-14
Procedure 3-1	Recording voice segments	3-23
Procedure 3-2	Using the optional audio line interface.....	3-24
Procedure 3-3	Editing voice segments for concatenation	3-29
Procedure 4-1	Accessing Application Management.....	4-1
Procedure 4-2	Loading an application.....	4-7
Procedure 4-3	Assigning channels.....	4-10
Procedure 4-4	Starting an application	4-12
Procedure 4-5	Reassigning channels.....	4-14
Procedure 4-6	Stopping an application	4-18
Procedure 4-7	Unloading an application	4-20
Procedure 4-8	Scheduling applications	4-23
Procedure 4-9	Unscheduling events	4-25
Procedure 4-10	Listing previously scheduled events	4-26
Procedure 4-11	Canceling a previously scheduled event	4-27
Procedure 4-12	Scheduling an outgoing application	4-27
Procedure 4-13	Listing data about a scheduled event	4-28
Procedure 4-14	Creating a script.....	4-29
Procedure 4-15	Editing a script	4-32
Procedure 4-16	Running a script.....	4-33
Procedure 5-1	Running nedit.....	5-2
Procedure 5-2	Generating a Cell Audit Report.....	5-3
Procedure 5-3	Generating a Call Detail Report.....	5-5
Procedure 5-4	Generating a Call Audit Report.....	5-8
Procedure 5-5	Generating a Subscriber Report.....	5-9
Procedure 5-6	Generating the Channel Usage Report	5-11
Procedure 5-7	Generating log reports	5-15
Procedure 5-8	Generating the System Configuration Report.	5-16
Procedure 5-9	Writing a report to a file.....	5-17
Procedure 5-10	Printing a report	5-18
Procedure 5-11	Exiting a report.....	5-18
Procedure 5-12	Resetting reports statistics.....	5-19
Procedure 5-13	Exporting statistics data.....	5-19
Procedure 6-1	Opening the Database Editor	6-7
Procedure 6-2	Creating the database	6-8
Procedure 6-3	Creating the template	6-11
Procedure 6-4	Creating record locations.....	6-12
Procedure 6-5	To add or change data.....	6-14
Procedure 6-6	Importing data.....	6-16
Procedure 6-7	Exporting data.....	6-17

Procedure 6-8	Going to the next record location.....	6-18
Procedure 6-9	Going to a specific record number.....	6-19
Procedure 6-10	Exiting the database	6-20
Procedure 6-11	Loading a database	6-20
Procedure 6-12	Editing the template	6-21
Procedure 6-13	Deleting a record location	6-22
Procedure 6-14	Exiting the Database Editor	6-23
Procedure 6-15	Deleting a database from the UNIX shell.....	6-23